

# GARGO INTERNATIONAL

An ISO 9001:2008 Certified Co.

Manufactures of Adrol Lubricants and Creases Steel Grip Conveyor Belts, Transmission Rubber Belts

## **ADROL BRAKE OIL DOT 4**

## **BRAKEFLUID**

## **DESCRIPTION**

ADROL BRAKE FLUID DOT 4is a high performance hydraulic brake fluid for use in automotive disc, drum and anti-skid brake systems and clutch systems. ADROL Brake Fluid DOT 4 is based on polyethylene glycol ether technology to provide a high level of brake and clutch performance in automotive and commercial vehicles.

### **APPLICATIONS**

Recommended for all types of automotive and commercial vehicles.

#### **PERFORMANCE STANDARDS**

DOT 4

#### **BENEFITS**

- Consistent and safe brake performance under high braking.
- Reduces leakage and loss of fluid to a minimum.
- Improved life and reliability of brake system components.
- High boiling point.
- Minimum rubber component swell.
- Excellent corrosion protection.

#### **TYPICAL PROPERTIES**

Appearance	Clear and bright yellow liquid
Density @ 20 °C (g/ml)	1.07
Equillibrium Reflux Boiling Point (ERBP) ASTM	260
D1120	
Viscosity I, Kinematic @ 40 °C (mm <sup>2</sup> /S)	1200
Wet Reflux Boiling Point	165
рН	8.0
Water Content	0.15%

<sup>\*</sup>Test results are based on samples.



